

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	"20040258039".pn. and (latency or bandwidth or throughput)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 12:29
L6	2	"20040090924".pn. and (latency or bandwidth or throughput or delay\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:28
L7	11045	(re\$1order\$3 re\$1sequenc\$5) with (packet frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:06
L8	1374	7 with transmi\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:07
L9	96	8.same wireless\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:06
L10	61	9 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:09
L11	528	8 and (wireless\$5 network\$5).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:07
L12	275485	(reorder\$3 order\$5 sequenc\$5 resequenc\$5) with (packet frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:07
L13	38794	12 with transmi\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:07

EAST Search History

L14	15575	13 and (wireless\$5 network\$5).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:29
L16	201434	(reorder\$3 order\$5 sequenc\$5 resequenc\$5) near7 (packet frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:07
L18	29385	(reorder\$3 order\$5 sequenc\$5 resequenc\$5) near7 (packet frame) with transmi\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:31
L19	12450	18 and (wireless\$5 network\$5).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:08
L20	1678	19 and ("710"/\$.cccls. "709"/\$.cccls.) and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:29
L21	1	"20050154806".pn. and link adj input	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:15
L28	4664	18 same (latency or bandwidth or throughput or delay\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:32
L29	461	28 and ("710"/\$.cccls. "709"/\$.cccls.) and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:29
L30	285	29 and (wireless\$5 network\$5).ti, ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:29
L31	499	(reorder\$3 resequenc\$5) near7 (packet frame) with transmi\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 14:31

EAST Search History

L32	118	31 same (latency or bandwidth or throughput or delay\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:00
L33	0	31 same by\$1pass\$5 near7 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:03
L34	3	31 same by\$1pass\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:02
L35	993	12 same by\$1pass\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:02
L36	102	12 same by\$1pass\$5 near7 (memory buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:05
L37	2	31 same by\$1pass\$5 near7 (memory buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:06
L38	16	7 same by\$1pass\$5 near7 (memory buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 15:06
S1	2697	optim\$7 with time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:19
S2	2253	optim\$7 with (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:16
S3	147	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:09

EAST Search History

S4	98	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:09
S5	35131	optim\$7 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 16:51
S7	286	optim\$7 with data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:55
S8	242	S7 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:05
S9	381	optim\$7 with data near3 time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:38
S10	333	S9 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:11
S11	28	S8 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 09:20
S12	655	mode with data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:36
S13	1429	mode with data near3 time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:36
S14	48	S12 and S13 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 11:56

EAST Search History

S15	38665	data near3 time near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:36
S16	21170	data near3 (sequenc\$5 or order\$5) near3 (deliv\$6 or transfer\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:25
S17	4140	minimiz\$5 near3 latenc\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:25
S18	20135	by\$1pass\$5 with (stor\$7 or memory or buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:37
S19	108	S15 and S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:38
S20	238	S15 and S16 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:40
S21	14	S19 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:38
S22	34	S15 same S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:40
S23	24	S16 same S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 15:40
S24	342	710/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:11

EAST Search History

S26	34184	((determin\$5 or select\$5) near4 (mode or type)) with (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:51
S27	16	S24 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:28
S28	100	S26 same latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:52
S29	263695	bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:52
S30	458	S26 same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:55
S31	209	S26 with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:15
S32	43	S26 with latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 13:02
S33	21	S28 same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 19:55
S34	13033	mode with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:32
S35	3464	mode with latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:15

EAST Search History

S36	184	S34 same S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:16
S37	143	S34 with S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 20:20
S38	114	S37 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:19
S39	563844	(order\$5 or reorder\$5 or sequenc\$5) with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:18
S40	299807	(order\$5 or reorder\$5 or sequenc\$5) near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:20
S41	586	S40 with before near4 (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:20
S42	493	S41 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S43	1	S41 with minim\$5 near4 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S44	131355	(sequenc\$5) near3 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:20
S45	279	S44 with (before near4 (deliver\$5 or transmit\$5 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:24

EAST Search History

S46	246	S45 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:27
S47	2	S41 same (minim\$5 near4 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S48	1	S45 same (minim\$5 near4 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:21
S49	676	S40 same ((combin\$5 or merg\$5or coale\$6) near4 (packet or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:22
S50	103	channel near3 optimiz\$6 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:30
S51	23	S50.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:30
S52	83	S50 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:31
S53	3	S50 and latency with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:33
S54	0	S50 same latency with bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:32
S55	5	S50 and latency and bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:33

EAST Search History

S56	0	S50 same latency same bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/12 21:33
S57	301836	(time near4 (deliver\$5 or transmit\$5 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:40
S58	131355	data near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:40
S59	1091	S57 with S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:27
S60	28	S59 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:27
S61	2463	S57 same S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:28
S62	92	S61 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:29
S63	89	S62 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:29
S64	340767	(tim\$5 near4 (deliver\$5 or transmit\$5 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:28
S65	2880	S64 same S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:29

EAST Search History

S66	2441	S65 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:41
S67	114	S66 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:36
S68	118978	determin\$6 near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48
S69	23300	determin\$6 near6 time near6 (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:41
S70	232	S68 with S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:41
S71	196	S70 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:42
S72	57	S70 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:42
S73	46	S72 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
S74	210	dependant near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48
S75	13	independant near3 (sequenc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48

EAST Search History

S76	39	independant near6 (sequenc\$5 or order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:48
S77	761	dependant near6 (sequenc\$5 or order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:49
S78	6	S77 with mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:57
S79	0	mode with (speed\$5 or time) with sequenc\$5 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:57
S80	0	mode with (speed\$5 or time) with sequenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:09
S81	8412	mode with (speed\$5 or time) with sequenc\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
S82	1544	mode with (speed\$5 or time) with sequenc\$5 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
S83	284	S82 with (deliver\$5 or transmit\$5 or send\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 06:58
S84	243	S83 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:36
S85	342	710/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:15

EAST Search History

S86	7	S85 and ((combin\$5 or merg\$5or coalesc\$6) near4 (packet or frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:15
S87	254	(stor\$5 near5 time) same (by\$1pass\$5 near5 stor\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:26
S88	228	S87 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:56
S89	8	S88 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:36
S90	25701	delay near3 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/14 15:52
S91	32625	direct near3 path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 07:56
S92	41	S90 with S91 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 14:10
S93	1	"20050154806".pn. and any	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:19
S94	1	"20050154806".pn. and source with output\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 16:37
S95	9	("20030159008" "20040090924" "6912598" "2002018395").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:29

EAST Search History

S96	8	("20030159008" "20040090924" "6912598" "20020018395").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:30
S97	1	"20040090924".pn. and multiplex\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:24
S98	2	"20040090924".pn. and devic\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 17:25
S99	2	"20050240712".pn. and secur\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 19:24
S10 0	371005	mode with (speed\$5 time timing latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:40
S10 1	18847	mode with (bandwidth throughput)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:10
S10 2	3410	S100 with S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:12
S10 3	313	S102 with (optim\$7 minimiz\$5 maximiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:13
S10 4	195	S103 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:13
S10 5	29755	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:12

EAST Search History

S10 6	35420	"711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:12
S10 7	57129	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:12
S10 8	36	S104 and (S105 S106 S107)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:41
S10 9	4210	S100 same S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:12
S11 0	460	S102 same (optim\$7 minimiz\$5 maximiz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:13
S11 1	307	S110 and @ad<="20040112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 13:13
S11 2	44	S111 and (S105 S106 S107)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/03 12:16
S11 3	18	("20020023197" "5745913" "5860106" "5926828" "5966544" "6026465" "6055650" "6088772" "6094717" "6148380" "6163838" "6182177" "6212598" "6212626" "6243768" "6304953" "6484239").PN. OR ("6799257").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 13:52
S11 4	143614	optim\$7 with (deliv\$6 transfer\$5 send\$5 transm\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:39

EAST Search History

S11 5	262803	(optim\$7 minimiz\$5 maximiz\$5) with (deliv\$6 transfer\$5 send\$5 transm\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:39
S11 6	141843	(bandwidth throughput) with (speed\$5 time timing latency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:41
S11 7	3707	S115 same S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:41
S11 8	794	S117 and (S105 S106 S107)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:42
S11 9	452	S117.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 14:42
S12 0	38	S119 and (S105 S106 S107)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 16:14